



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 06/10/2016 Revision date: 03/05/2025 Supersedes: 08/07/2019 Version: 3.3

### **SECTION 1: IDENTIFICATION**

1.1. IDENTIFICATION

Product form : Substance
Substance name : SKC-S

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Recommended use : Non-Destructive Testing.

#### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer Distributor

Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA T 847-657-5300

1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

# **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### **GHS** classification

Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1

### 2.2. LABEL ELEMENTS

# **GHS** labelling

Hazard pictograms (GHS)



GHS02

**!**>

GHS07



Signal word (GHS)

Hazard statements (GHS)

Precautionary statements (GHS)

: Danger

: Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.

: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# 2.3. OTHER HAZARDS

No additional information available

# 2.4. UNKNOWN ACUTE TOXICITY

Not applicable

03/05/2025 EN (English) Page 1



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. SUBSTANCES

Name	Product identifier	%
Naphtha, petroleum, hydrotreated light	(CAS-No.) 64742-49-0	100

#### 3.2. MIXTURES

Not applicable

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash clothing before re-using. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : IF SWALLOWED: immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting. Never give anything by mouth to an unconscious person.

# 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/effects after inhalation : May cause drowsiness or dizziness. May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

of the skin.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

# 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. EXTINGUISHING MEDIA

Suitable extinguishing media : Dry chemical. Carbon dioxide. Water spray. Water fog. Foam.

Unsuitable extinguishing media : Do not use water jet.

## 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire hazard : Highly flammable liquid and vapour. Vapors may be heavier than air and may travel along the

ground to a distant ignition source and flash back. Products of combustion may include, and

are not limited to: oxides of carbon.

Explosion hazard : May form flammable/explosive vapour-air mixture. Intense heat may cause container to burst.

Reactivity : No dangerous reaction known under conditions of normal use.

5.3. ADVICE FOR FIREFIGHTERS

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Cool closed containers exposed to fire with water spray.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel. Remove ignition sources. Use special care to avoid static electric charges. Use only non-sparking tools. Avoid breathing vapour or mist.

# 6.1.1. FOR NON-EMERGENCY PERSONNEL

No additional information available

### 6.1.2. FOR EMERGENCY RESPONDERS

No additional information available

## 6.2. ENVIRONMENTAL PRECAUTIONS

Do not allow to enter into surface water or drains. Prevent entry to sewers and public waters.

03/05/2025 EN (English) 2/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

# 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment : Stop leak without risks if possible. Dilute with

: Stop leak without risks if possible. Dilute with water. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective

equipment. Use explosion-proof equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

#### 6.4. REFERENCE TO OTHER SECTIONS

For further information refer to section 8: "Exposure controls/personal protection"

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. PRECAUTIONS FOR SAFE HANDLING

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Keep away from sources of ignition - No smoking. Use only non-sparking tools. Use only explosion-proof equipment. Take precautionary measures against static discharge. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only

outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

### 7.2. CONDITIONS FOR SAFE STORAGE. INCLUDING ANY INCOMPATIBILITIES

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep locked up and out of reach of children. Keep container tightly closed. Store in original

container protected from direct sunlight in a dry, cool and well-ventilated area, away from

incompatibles. Do not expose to temperatures exceeding 50 °C/ 122 °F.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. CONTROL PARAMETERS

Naphtha, petroleum, hydrotreated light (64742-49-0)		
ACGIH	ACGIH TWA	247 ppm/8h

### 8.2. EXPOSURE CONTROLS

Appropriate engineering controls : Ensure good ventilation of the work station. Use explosion-proof ventilation equipment.

Hand protection : Wear suitable gloves resistant to chemical penetration.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid
Appearance : Clear
Colour : Colourless
Odour : Hydrocarbon
Odour threshold : No data available

pH : Neutral

Melting point : No data available
Freezing point : No data available
Boiling point : ~118 °C (~245 °F)
Flash point : 15 °C (59 °F)

Relative evaporation rate (butylacetate=1) : 1

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : No data available

03/05/2025 EN (English) 3/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Relative vapour density at 20 °C : No data available

Relative density : 0.76

Solubility : No data available Partition coefficient n-octanol/water : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : 0.786 cSt Viscosity, kinematic

Viscosity, dynamic

: No data available Explosive limits : No data available Explosive properties : No data available : No data available Oxidising properties

9.2. OTHER INFORMATION

VOC content : 750 g/l

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. **REACTIVITY**

No dangerous reaction known under conditions of normal use.

#### 10.2. **CHEMICAL STABILITY**

Stable under normal conditions. May form flammable/explosive vapour-air mixture.

#### 10.3. **POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reactions known under normal conditions of use.

#### 10.4. **CONDITIONS TO AVOID**

Heat. Sources of ignition. Direct sunlight. Incompatible materials.

#### 10.5. **INCOMPATIBLE MATERIALS**

Oxidizing materials.

#### 10.6. **HAZARDOUS DECOMPOSITION PRODUCTS**

May include, and are not limited to: oxides of carbon. May release flammable gases.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

: Not classified. Acute toxicity (oral) Acute toxicity (dermal) : Not classified. : Not classified. Acute toxicity (inhalation)

Naphtha, petroleum, hydrotreated light (64742-49-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 inhalation rat	73680 ppm/4h

Skin corrosion/irritation : Causes skin irritation.

pH: Neutral

Serious eye damage/irritation : Not classified.

> pH: Neutral : Not classified.

Respiratory or skin sensitisation Germ cell mutagenicity : Not classified. Carcinogenicity : Not classified. Reproductive toxicity : Not classified.

STOT-single exposure : May cause drowsiness or dizziness.

: Not classified. STOT-repeated exposure

Aspiration hazard : May be fatal if swallowed and enters airways.

03/05/2025 EN (English) 4/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SKC-S	
Viscosity, kinematic (calculated value) (40 °C)	0.786 mm²/s
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

#### 12.2. PERSISTENCE AND DEGRADABILITY

SKC-S	
Persistence and degradability	Not established.
12.3. BIOACCUMULATIVE POTENTIAL	

#### 12.3. BIOACCOMOLATIVE I OTENTIAL

Bioaccumulative potential Not established.	

### 12.4. MOBILITY IN SOIL

No additional information available

#### 12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known effects from this product.

Other information : No other effects known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. WASTE TREATMENT METHODS

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable. Do not reuse

container.

# **SECTION 14: TRANSPORT INFORMATION**

In accordance with DOT/TDG/IATA/IMDG

DOT : UN1268 Petroleum Distillates, n.o.s. (Naphtha) 3 II, marine pollutant
Transportation of Dangerous Goods : UN1268 Petroleum Distillates, n.o.s. (Naphtha) 3 II, marine pollutant
IATA : UN1268 Petroleum Distillates, n.o.s. (Naphtha) 3 II, marine pollutant
IMDG : UN1268 Petroleum Distillates, n.o.s. (Naphtha) 3 II, marine pollutant

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.


All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

03/05/2025 EN (English) 5/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

NFPA health hazard : 2
NFPA fire hazard : 3
NFPA reactivity : 0



# 15.2. INTERNATIONAL REGULATIONS

No additional information available

# 15.3. US STATE REGULATIONS

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

# **SECTION 16: OTHER INFORMATION**

Revision date : 03/05/2025 Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



SDS HazCom 2012 - WHMIS 2015 (Nexreg\_MAGNAFLUX)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

03/05/2025 EN (English) 6/6